

Fabrics technical info - Scheda tecnica tessuti - Stoffe Technische Informationen

ACCADEMIA

Cat. F
Comp. 66%PP (RECYCLED) - 34%PL

Peso/Weight 950 gr/mtl
Martindale 60.000 giri/cycles



Flame retardant fabric.

Tessuto ignifugo.
Flammhemmendes Gewebe.

ALASSIO

Cat. E
Comp. 40%VI - 20%LI - 20%CO
20%PL

Peso/Weight 530 gr/mtl
Martindale 24.000 giri/cycles



ALICUDI 2020

Cat. D
Comp. 85%PL - 15%VI

Peso/Weight 620 gr/mtl
Martindale 28.000 giri/cycles



ARAGONA

Cat. D
Comp. 56%CO - 24%VI - 20%LI

Peso/Weight 510 gr/mtl
Martindale 32.000 giri/cycles



ARSENALE

Cat. F
Comp. 80%PL - 20%CO

Peso/Weight 800 gr/mtl
Martindale 100.000 giri/cycles



BIENNALE

Cat. F
Comp. 50%PC - 23%LI - 19%CO -
8%NY

Peso/Weight 990 gr/mtl
Martindale 40.000 giri/cycles



CALLE

Cat. E
Comp. 52%PC - 42%PL - 6%CO

Peso/Weight 1.100 gr/mtl
Martindale 80.000 giri/cycles



Flame retardant fabric.

Tessuto ignifugo.
Flammhemmendes Gewebe.

CAMOSCIO 2020

Cat. F
Comp. 100%PL

Peso/Weight 670 gr/mtl
Martindale 100.000 giri/cycles



CAMPIELLO

Cat. F
Comp. 47%PC - 19%WO - 16%PL -
15%CO - 3%NY

Peso/Weight 900 gr/mtl
Martindale 30.000 giri/cycles



CANALE

Cat. F
Comp. 64%PL - 34%PP - 2%EA

Peso/Weight 910 gr/mtl
Martindale 50.000 giri/cycles




Elastic fabric, suitable for curved shapes.

Tessuto elastico, adatto a forme curve.
Elastischer Stoff, geeignet für geschwungene Formen.

CERTOSA

Cat. F
Comp. 54%VI - 38%CO - 8%PL

Peso/Weight 1.000 gr/mtl
Martindale 25.000 giri/cycles



CHEVRON

Cat. G
Comp. 56%LI - 24%CO - 16%PC -
4%PL

Peso/Weight 1.270 gr/mtl
Martindale 20.000 giri/cycles



Available only for beds and accessories.

Disponibile solo per letti ed accessori.
Nur für Betten und Zubehör erhältlich.

Fabrics technical info - Scheda tecnica tessuti - Stoffe Technische Informationen

DRAGA

Cat. F
Comp. 62%PC - 24%PL - 11%CO - 3%AF

Peso/Weight 780 gr/mtl
Martindale 30.000 giri/cycles



Not centered or aligned on the seams.

⚠ Non viene centrato o allineato nelle cuciture.
Nicht zentriert oder an den Nähten ausgerichtet.

DUCALE

Cat. D
Comp. 100%PL

Peso/Weight 680 gr/mtl
Martindale 80.000 giri/cycles



EXCELSIOR

Cat. C
Comp. 57%PL - 43%VI

Peso/Weight 940 gr/mtl
Martindale 100.000 giri/cycles



FENICE

Cat. F
Comp. 100%PL (RECYCLED)

Peso/Weight 590 gr/mtl
Martindale 100.000 giri/cycles



FLOWER

Cat. F
Comp. 100%PL

Peso/Weight 520 gr/mtl
Martindale 120.000 giri/cycles



GIUDECCA

Cat. F
Comp. 35%VI - 30%PC - 20%CO - 15%LI

Peso/Weight 840 gr/mtl
Martindale 25.000 giri/cycles



LAGUNA

Cat. C
Comp. 64%PP - 31%PL - 5%CO

Peso/Weight 710 gr/mtl
Martindale 50.000 giri/cycles



LINOSA

Cat. C
Comp. 20%VI - 25%CO - 10%LI - 45%PL

Peso/Weight 580 gr/mtl
Martindale 20.000 giri/cycles



MANIN

Cat. C
Comp. 95%PL - 5%LI

Peso/Weight 950 gr/mtl
Martindale 40.000 giri/cycles



Flame retardant fabric.
⚠ Tessuto ignifugo.
Flammhemmendes Gewebe.

MARINA

Cat. E
Comp. 48%VI - 19%CO - 18%PC - 10%JU - 5%PL

Peso/Weight 800 gr/mtl
Martindale 25.000 giri/cycles



MURANO

Cat. E
Comp. 100%PL

Peso/Weight 440 gr/mtl
Martindale 40.000 giri/cycles



MURAZZI

Cat. F
Comp. 72%RPET - 28%PL

Peso/Weight 740 gr/mtl
Martindale 50.000 giri/cycles



Flame retardant fabric.
⚠ Tessuto ignifugo.
Flammhemmendes Gewebe.

Fabrics technical info - Scheda tecnica tessuti - Stoffe Technische Informationen

ORMESINI

Cat. F
Comp. 70%PC - 25%PL - 5%CO

Peso/Weight 1.100 gr/mtl
Martindale 50.000 giri/cycles



Flame retardant fabric.

Tessuto ignifugo.
Flammhemmendes Gewebe.

POLO

Cat. D
Comp. 95%PL - 5%CO
780 gr/mtl

Peso/Weight 55.000 giri/cycles
Martindale



RIVA

Cat. F
Comp. 100%PL

Peso/Weight 1.020 gr/mtl
Martindale 80.000 giri/cycles



Flame retardant fabric.

Tessuto ignifugo.
Flammhemmendes Gewebe.

SAETTA

Cat. D
Comp. 100%PL

Peso/Weight 720 gr/mtl
Martindale 50.000 giri/cycles



SAMBA M

Cat. C
Comp. 54%PC - 46%PL

Peso/Weight 620 gr/mtl
Martindale 40.000 giri/cycles



SAMBA P

Cat. C
Comp. 100%PL

Peso/Weight 450 gr/mtl
Martindale 60.000 giri/cycles



SAMBA S

Cat. C
Comp. 54%PC - 46%PL

Peso/Weight 600 gr/mtl
Martindale 40.000 giri/cycles



SUPERLINO

Cat. G (F+10)
Comp. 50%LI - 24%CO - 15%CA -
11%PA

Peso/Weight 950 gr/mtl
Martindale 50.000 giri/cycles



TEXTURE

Cat. F
Comp. 45%PL - 35%PC - 20%WO

Peso/Weight 730 gr/mtl
Martindale 24.000 giri/cycles



TOLENTINI

Cat. F
Comp. 58%PC - 20%WO - 18%PL -
4%CO

Peso/Weight 850 gr/mtl
Martindale 28.000 giri/cycles



TORCELLO

Cat. F
Comp. 78%AC - 20%PES - 2%VI

Peso/Weight 1.190 gr/mtl
Martindale 60.000 giri/cycles



TROVASO

Cat. F
Comp. 61%PC - 18%CO - 7%JU -
14%AF

Peso/Weight 950 gr/mtl
Martindale 30.000 giri/cycles



Flame retardant fabric.

Tessuto ignifugo.
Flammhemmendes Gewebe.

Fabrics technical info - Scheda tecnica tessuti - Stoffe Technische Informationen

VELVET

Cat. G (F+10%)
Comp. 55%VI - 45%CO

Peso/Weight 780 gr/mtl
Martindale 50.000 giri/cycles



VENEZIA

Cat. D
Comp. 74%PL - 26%VI

Peso/Weight 920 gr/mtl
Martindale 60.000 giri/cycles




VIGNOLE

Cat. G (F+10%)
Comp. 37%PC - 28%WO - 22%PL - 13%CO

Peso/Weight 1.140 gr/mtl
Martindale 80.000 giri/cycles



Flame retardant fabric. Cover the Velcro before washing.
 **Tessuto ignifugo. Coprire il Velcro prima di lavare.**
Flammhemmendes Gewebe. Decken Sie den Klettverschluss vor dem Waschen ab.

Fabrics technical info - Scheda tecnica tessuti - Stoffe Technische Informationen

ABYSS*

Cat. G (F+10%)
Comp. 51%JU - 49%LI

Peso/Weight 750 gr/mtl
Martindale 20.000 giri/cycles



ALBENGA*

Cat. F
Comp. 100%LI

Peso/Weight 1.050 gr/mtl
Martindale 25.000 giri/cycles



ALISEI*

Cat. D
Comp. 100%CO

Peso/Weight 450 gr/mtl
Martindale 25.000 giri/cycles



BORA*

Cat. F
Comp. 54%JU - 46%LI

Peso/Weight 670 gr/mtl
Martindale 22.000 giri/cycles



BORDIGHERA*

Cat. E
Comp. 63%CO - 26%LI - 11%VI

Peso/Weight 590 gr/mtl
Martindale 26.000 giri/cycles



Prewashed fabric with consequent presence of not uniform shadows and streakings.
 Tessuto prelavato in cesto con conseguente presenza di ombre e bacchettature non uniformi.
 Vorgewaschener Stoff mit dem Ergebnis ungleichmäßiger Schatten und Streifen.

BOUCLÈ*

Cat. E
Comp. 48%LI - 47%CO - 5%AF

Peso/Weight 780 gr/mtl
Martindale 30.000 giri/cycles



BREZZA*

Cat. F
Comp. 38%CO - 31%PC - 14%PL - 9%LI - 8%VI

Peso/Weight 820 gr/mtl
Martindale 30.000 giri/cycles



CAMPALTO*

Cat. F
Comp. 46%CO - 38%VI - 12%LI - 2%PC - 2%PA

Peso/Weight 840 gr/mtl
Martindale 25.000 giri/cycles



CAPRERA*

Cat. F
Comp. 57%VI - 19%LI - 19%CO - 5%AF

Peso/Weight 1.060 gr/mtl
Martindale 25.000 giri/cycles



CAVALLINO*

Cat. F
Comp. 38%PES - 30%CO - 30%AC - 2%VI

Peso/Weight 720 gr/mtl
Martindale 50.000 giri/cycles



ELBA*

Cat. F
Comp. 15%LI - 10%CO - 20%VI - 25%PC - 20%PL - 10%AF

Peso/Weight 730 gr/mtl
Martindale 18.000 giri/cycles



FAVIGNANA*

Cat. F
Comp. 48%CO - 21%VI - 15%LI - 16%PL

Peso/Weight 900 gr/mtl
Martindale 45.000 giri/cycles



Fabrics technical info - Scheda tecnica tessuti - Stoffe Technische Informationen

GHIBLI*

Cat. C
Comp. 90%PL - 10%LI

Peso/Weight 800 gr/mtl
Martindale 100.000 giri/cycles



GRECALE*

Cat. F
Comp. 39%LI - 27%JU - 24%VI - 10%CO

Peso/Weight 1.000 gr/mtl
Martindale 30.000 giri/cycles



HARRY'S*

Cat. D
Comp. 90%PL - 10%CO

Peso/Weight 980 gr/mtl
Martindale 90.000 giri/cycles



LEVANTE*

Cat. F
Comp. 48%CO - 37%VI - 15%PL

Peso/Weight 800 gr/mtl
Martindale 25.000 giri/cycles



Fabric with non uniform shadows and streaking, subject to compression with the use.

⚠ **Tessuto con ombre e bacchettature non uniformi, soggetto a leggero schiacciamento con l'uso.**

Stoff mit ungleichmäßigen Schatten und Streifen, der bei der Verwendung einer Kompression unterliegt.

LEVANZO*

Cat. C
Comp. 52%VI - 18%PL - 15%LI - 15%CO

Peso/Weight 610 gr/mtl
Martindale 50.000 giri/cycles



LIDO*

Cat. D
Comp. 100%PL

Peso/Weight 800 gr/mtl
Martindale 60.000 giri/cycles



MAESTRALE*

Cat. C
Comp. 75%CO - 20%PC - 5%PL

Peso/Weight 700 gr/mtl
Martindale 65.000 giri/cycles



MAPLE*

Cat. F
Comp. 53%VI - 47%CO

Peso/Weight 700 gr/mtl
Martindale 48.000 giri/cycles



MARATEA*

Cat. C
Comp. 85%PL - 15%LI

Peso/Weight 780 gr/mtl
Martindale 30.000 giri/cycles



ONEGLIA*

Cat. F
Comp. 30%VI - 15%CO - 15%LI - 20%PL - 20%AC

Peso/Weight 730 gr/mtl
Martindale 24.000 giri/cycles



OXANA*

Cat. E
Comp. 63%CO - 37%PL

Peso/Weight 700 gr/mtl
Martindale 43.000 giri/cycles



OXFORD*

Cat. D
Comp. 30%PES - 69%PVC - 1%PU

Peso/Weight 940 gr/mtl
Martindale 25.000 giri/cycles



Clean the covering using ONLY a damp cloth and neutral detergent.

⚠ **Pulire il rivestimento usando SOLO un panno umido e sapone neutro.**

Reinigen Sie die Bezug NUR mit einem feuchten Tuch und einem neutralen Reinigungsmittel.

Fabrics technical info - Scheda tecnica tessuti - Stoffe Technische Informationen

PALINURO*

Cat. D
Comp. 22%CO - 37%VI - 23%PL - 18%LI

Peso/Weight 650 gr/mtl
Martindale 18.000 giri/cycles



PISANI*

Cat. E
Comp. 76%PL - 16%VI - 18%LI

Peso/Weight 770 gr/mtl
Martindale 100.000 giri/cycles



PONENTE*

Cat. E
Comp. 84%PL - 16%AC

Peso/Weight 900 gr/mtl
Martindale 45.000 giri/cycles



PUROLINO*

Cat. F
Comp. 100%LI

Peso/Weight 630 gr/mtl
Martindale 22.000 giri/cycles



Do not use detergents that contain optical brighteners.

⚠ Non usare detersivi che contengano candeggianti ottici.

Verwenden Sie keine Waschmittel, die optische Aufheller enthalten.

RAPALLO*

Cat. E
Comp. 100%PP

Peso/Weight 670 gr/mtl
Martindale 20.000 giri/cycles



RIALTO*

Cat. F
Comp. 100%PL

Peso/Weight 1020 gr/mtl
Martindale 80.000 giri/cycles



Flame retardant fabric.

⚠ Tessuto ignifugo.
Flammhemmendes Gewebe.

ROMBO*

Cat. E
Comp. 48%LI - 47%CO - 5%AF

Peso/Weight 730 gr/mtl
Martindale 30.000 giri/cycles



SAN MARCO*

Cat. D
Comp. 94%PL - 6%PA

Peso/Weight 670 gr/mtl
Martindale 50.000 giri/cycles



SNOW*

Cat. F
Comp. 50%CO - 50%VI

Peso/Weight 750 gr/mtl
Martindale 13.000 giri/cycles



STINTINO*

Cat. E
Comp. 100%CO

Peso/Weight 430 gr/mtl
Martindale 26.000 giri/cycles



TRAMONTANA*

Cat. E
Comp. 40%CO - 45%AC - 10%PL - 5%AF

Peso/Weight 680 gr/mtl
Martindale 22.000 giri/cycles



UNITO*

Cat. E
Comp. 48%LI - 47%CO - 5%AF

Peso/Weight 780 gr/mtl
Martindale 30.000 giri/cycles



Fabrics technical info - Scheda tecnica tessuti - Stoffe Technische Informationen

~~VENTIMIGLIA*~~

~~Cat. D
Comp. 30%CO - 70%VI~~

~~Peso/Weight 530 gr/mtl
Martindale 25.000 giri/cycles~~



~~VIAREGGIO*~~

~~Cat. D
Comp. 100%CO~~

~~Peso/Weight 520 gr/mtl
Martindale 23.000 giri/cycles~~



~~Prewashed fabric with consequent presence of not uniform shadows and streakings.~~

~~⚠️ Tessuto prelavato in cesto con conseguente presenza di ombre e bacchettature non uniformi.~~

~~Vorgewaschener Stoff mit dem Ergebnis ungleichmäßiger Schatten und Streifen.~~









~~ZEFIRO*~~

~~Cat. D
Comp. 79%PL - 16%CO - 5%PC~~




~~Peso/Weight 620 gr/mtl
Martindale 40.000 giri/cycles~~




MEANING OF THE SYMBOLS:Washing:

-  do not wash.
-  hand washing.
-  machine washing (<30°).
-  machine washing (<40°).
-  do not bleach.
-  professionally dryclean.
-  professionally dryclean, short cycle.
-  do not dryclean.

Ironing:

-  do not iron.
-  cool iron (< 110° C).
-  medium iron (< 150° C).

Drying:









-  tumble dry. do not tumble dry.
-  tumble dry at a moderate temperature.
-  do not tumble dry.

MEANING OF THE ABBREVIATIONS:




Natural fibres: CO Cotton - LI Linen - VI Viscose - WO Wool

Artificial Fibres: PL Polyester - PC Acrylic - NY Nylon - PA Polyamide - PP Polypropylene




SIGNIFICATO DEI SIMBOLI:Lavaggio:

-  non lavare in acqua.
-  lavare a mano.
-  lavare in lavatrice (massimo 30°).
-  lavare in lavatrice (massimo 40°).
-  non utilizzare candeggina.
-  lavare a secco con percloroetilene.
-  lavare a secco con percloroetilene e ciclo delicato.
-  non lavare a secco.

Stiratura:

-  non stirare.
-  stirare a temperatura moderata (max 110°).
-  stirare a temperatura media (max 150°).

Asciugatura:









-  utilizzare l'asciugatrice.
-  utilizzare l'asciugatrice a temperatura moderata.
-  non utilizzare l'asciugatrice.

SIGNIFICATO DELLE ABBREVIAZIONI:

Fibre naturali: CO Cotone - LI Lino - VI Viscosa - WO Lana

Fibre sintetiche: PL Poliestere - PC Acrilico - NY Nylon - PA Poliammide - PP Polipropilene




BEDEUTUNG DER REINIGUNGSSYMBOLS:Waschen:

-  Nicht mit Wasser waschen.
-  Handwäsche.
-  Waschmaschine max. 30°.
-  Waschmaschine max. 40°.
-  keine Bleichmittel verwenden.
-  Chemische Reinigung mit Perchlorethylen.
-  Chemische Reinigung mit Perchlorethylen im Schonprogramm.
-  Nicht chemisch reinigen.

Bügeln:

-  Nicht bügeln.
-  Bügeln bei niedriger Temperatur (max 110°).
-  Bügeln bei mittlerer Temperatur (max 150°).

Trocknen:

-  im Trockner trocken.
-  Bei mäßiger Temperatur im Trockner trocknen.
-  Nicht im Trockner trocken.

ABKÜRZUNGEN:

Naturfasern: CO Baumwolle - LI Leinen - VI Viskose - WO Wolle

Synthetische Fasern: PL Polyester - PC Acryl - NY Nylon - PA Polyamid - PP Polypropylen